## CLAIMS:

5

6

7

1 Q

11

12

13± 14\_

1**5** 

-

What is claimed is:

1. In a data processing network having a server, multiple
2 partitions, a fabric, and a channel adapter communicating between
3 the partition and the fabric, a method of assigning addresses to
4 the channel adapter comprising:

sending multiple requests from the channel adapter to the fabric, each request sent on behalf of a respective one of said partitions;

assigning a unique address identification for each request, each address identification being associated with the respective partition on whose behalf the request was sent;

storing in a table in the fabric, the address identifications; and

returning the assigned address identification for each request, wherein multiple addresses are assigned to the same channel adapter.

- 1 2. The method of claim 1 further comprising establishing the table in the fabric responsive to the first request.
- 1 3. The method of claim 1 wherein the table is stored in a name server in the fabric.
- The method of claim 1 further comprising:
   sending a proposed address to the fabric with a request, and
   confirming by the fabric that the proposed name is assigned.

## POU920010169US1

- 5. The method of claim 1 further comprising:
  sending an updated address to the fabric with a request, and
  updating by the fabric, the stored address associated with
  the partition on whose behalf the request was sent with said
  updated address.
- A data processing system comprising:
   a server;
   multiple partitions in said server;
   a fabric;
  - a channel adapter communicating between the partition and the fabric, said channel adapter sending multiple requests to the fabric, each request sent on behalf of a respective one of said partitions;

said fabric assigning a unique address identification for each request, each address identification being associated with the respective partition on whose behalf the request was sent;

- a table in said fabric storing the address identifications; and
- a transmitter in said fabric returning the assigned address identification for each request, such that multiple addresses are assigned to the same channel adapter.
- 1 7. The data processing system of claim 6 wherein said fabric
- 2 establishes the table in the fabric responsive to the first
- 3 request.

5

6**7** 7**5** 8**0** 

9 10

المَّا الْمُ

12

13

14

15

16

- 1 8. The data processing system of claim 6 wherein the table is
- 2 stored in a name server in the fabric.

## POU920010169US1

- 1 The data processing system of claim 6 wherein said server
- 2 sends a proposed address to the fabric with a request, and said
- 3 fabric confirms that the proposed name is assigned.
- The data processing system of claim 6 wherein said server 10. 1
- sends an updated address to the fabric with a request, and said 2
- fabric updates the address associated with the partition on whose 3
- behalf the request was sent with said updated address. 4
- In data processing system having a server, multiple 1
- 2 partitions in the server, a fabric, and a channel adapter
  - communicating between the partition and the fabric, said channel
  - adapter sending multiple requests to the fabric, each request
- 4 **5 5** sent on behalf of a respective one of said partitions, an
- 6 4 7 M apparatus for assigning multiple addresses to the channel adapter
- comprising:
  - a process in said fabric assigning a unique address
- 8 | | 911 identification for each request, each address identification
  - being associated with the respective partition on whose behalf
- the request was sent; 1I
- 12 a table in said fabric storing the address identifications;
- 13 and

10

3

- 14 a transmitter in said fabric returning the assigned address
- identification for each request, such that multiple addresses are 15
- 16 assigned to the same channel adapter.
- The apparatus of claim 11 wherein said fabric establishes 1 12.
- the table in the fabric responsive to the first request. 2
- 1 13. The apparatus of claim 11 wherein the table is stored in a
- 2 name server in the fabric.

## POU920010169US1

- 1 14. The apparatus of claim 11 wherein when said server sends a
- 2 proposed address to the fabric with a request, and said fabric
- 3 confirms that the proposed name is assigned.
- 1 15. The apparatus of claim 11 wherein when said server sends an
- 2 updated address to the fabric with a request, and said fabric
- 3 updates the address associated with the partition on whose behalf
- 4 the request was sent with said updated address.
- 1 16. A program product usable with a data processing network
- 2 having a server, multiple partitions, a fabric, and a channel
  - adapter communicating between the partition and the fabric, said
  - program product comprising:

3 1

4

9

10

14

12

13

- a computer readable medium having recorded thereon computer readable program code means for performing the method of assigning addresses to the channel adapter comprising:
- receiving multiple requests from the channel adapter to the fabric, each request sent on behalf of a respective one of said partitions;
- assigning a unique address identification for each request, each address identification being associated with the respective partition on whose behalf the request was sent;
- storing in a table in the fabric, the address
- 15 identifications; and
- 16 returning the assigned address identification for each
- 17 request, wherein multiple addresses are assigned to the same
- 18 channel adapter.
- 1 17. The program product of claim 16 wherein said method further
- 2 comprises establishing the table in the fabric responsive to the
- 3 first request.

- 1 18. The program product of claim 16 wherein the table is stored
- 2 in a name server in the fabric.
- 1 19. The program product of claim 16 wherein said method further
- 2 comprises:
- 3 receiving a proposed address to the fabric with a request,
- 4 and
- 5 confirming by the fabric that the proposed name is assigned.
- 1 20. The program product of claim 16 wherein said method further 2 comprises:
  - receiving an updated address to the fabric with a request, and
  - updating by the fabric, the stored address associated with the partition on whose behalf the request was sent with said updated address.